

**Table 35. Antimicrobial Resistance among *Enterococcus* by Species, 2002**

	<i>avium</i> (n=4)		<i>durans</i> (n=10)		<i>faecalis</i> (n=893)		<i>faecium</i> (n=506)		<i>gallinarum</i> (n=5)		<i>hirae</i> (n=102)	
Antimicrobial	# R	% R	# R	% R	# R	% R	# R	% R	# R	% R	# R	% R
<b>QDA*</b>	3	75.0%	4	40.0%	*	*	268	53.0%	3	60.0%	46	45.1%
<b>LIN</b>	3	75.0%	5	50.0%	798	89.4%	286	56.5%	0	0.0%	56	54.9%
<b>BAC</b>	4	100.0%	6	60.0%	649	72.7%	451	89.1%	5	100.0%	9	8.8%
<b>TET</b>	3	75.0%	2	20.0%	584	65.4%	295	58.3%	4	80.0%	66	64.7%
<b>FLA</b>	3	75.0%	9	90.0%	6	0.7%	484	95.7%	5	100.0%	96	94.1%
<b>ERY</b>	3	75.0%	0	0.0%	178	19.9%	134	26.5%	0	0.0%	17	16.7%
<b>TYL</b>	3	75.0%	0	0.0%	186	20.8%	96	19.0%	0	0.0%	17	16.7%
<b>KAN</b>	0	0.0%	1	10.0%	146	16.4%	139	27.5%	0	0.0%	3	2.9%
<b>STR</b>	0	0.0%	1	10.0%	147	16.5%	82	16.2%	0	0.0%	5	4.9%
<b>NIT</b>	1	25.0%	1	10.0%	7	0.8%	193	38.1%	0	0.0%	2	2.0%
<b>PEN</b>	0	0.0%	1	10.0%	0	0.0%	164	32.4%	0	0.0%	1	1.0%
<b>GEN</b>	1	25.0%	0	0.0%	107	12.0%	23	4.6%	0	0.0%	1	1.0%
<b>CIP</b>	0	0.0%	0	0.0%	4	0.5%	66	13.0%	0	0.0%	1	1.0%
<b>CHL</b>	0	0.0%	0	0.0%	2	0.2%	1	0.2%	0	0.0%	1	1.0%
<b>SAL</b>	0	0.0%	0	0.0%	2	0.2%	0	0.0%	0	0.0%	0	0.0%
<b>LZD</b>	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>VAN</b>	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%

\* QDA resistance is not presented for *E. faecalis*.